



# **Bringelly Concrete Plant**

# Traffic & Pedestrian Management

## Emergency Site Map

### Boral Concrete – 80 Greendale Rd, Bringelly



#### Pedestrians

- Protected Walkway**
- Designated Walkway**  
Pedestrians **MUST** give way to vehicles and plant
- Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas

#### Emergency Equipment



**First Aid**  
Located in Batch Office & Driver's Room




**Emergency Eye Wash & Shower**  
Located beside Load Bay, in Admix Bund & behind Washout Bays



**Spill Kit**  
3 located beside Batch Office



**Main Electrical**  
Located at front of site, near the entry/exit gate



**Emergency Assembly Area**  
Located inside the entry/exit gate. Follow the pathway directional arrows as indicated on the map



**Fire Extinguishers**  
Located in the following areas:  
Batch Office, Balcony area of Amenities, Slump Stand (adjacent to electrical Board), Load Bay (top & base of stairs), Main Switch room (externally), below Transfer Conveyor, Front End Loader, all trucks are equipped with fire extinguishers

**Warning:** A flashing light will activate when the Loader is in operation. When light is flashing, all vehicles in the immediate area **MUST** stop. Only proceed when safe to do so.



# Traffic & Pedestrian Management

## Visitor Site Map

### Boral Concrete – 80 Greendale Rd, Bringelly



#### Pedestrians

- Protected Walkway**
- Designated Walkway**  
Pedestrians MUST give way to vehicles and plant
- Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas

**Warning:** A flashing light will activate when the Loader is in operation. When light is flashing, all vehicles in the immediate area **MUST** stop. Only proceed when safe to do so.

#### Vehicles and Plant



##### Vehicle Route

Follow the direction of the vehicle route. Drivers **MUST** not exit their vehicle unless they can access a designated walkway or to complete designated work.



##### Site Speed Limit

The Site speed limit is restricted to 10kph.



##### Visitor Parking

- Visitors park in the Visitor & Employee parking area
- Parking is reverse entry.
- Visitors must report to the Batch Office immediately upon arrival.



To access the Batch Office and amenities, follow the pathway directional arrows, as indicated on the map.



##### Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF Channel 58.






# Traffic & Pedestrian Management

## Courier Site Map

### Boral Concrete – 80 Greendale Rd, Bringelly





#### Pedestrians

-  **Protected Walkway**
-  **Designated Walkway**  
Pedestrians **MUST** give way to vehicles and plant
-  **Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas



**Warning:** A flashing light will activate when the Loader is in operation. When light is flashing, all vehicles in the immediate area **MUST** stop. Only proceed when safe to do so.

#### Vehicles and Plant

-  **Vehicle Route**  
Follow the direction of the vehicle route. Drivers **MUST** not exit their vehicle unless they can access a designated walkway or to complete designated work.
-  **Reverse Entry**



**Site Speed Limit**  
The Site speed limit is restricted to 10kph.



**Courier Parking**

- Couriers park in the Courier & Contractor parking bays, located adjacent to Batch Office
- Parking is reverse entry.
- Couriers report to the Batch Office immediately upon arrival.



To Access the Batch Office and amenities, follow the pathway directional arrows, as indicated on the map.



#### Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF Channel 58.



# Traffic & Pedestrian Management Tipper Site Map

(Driver must contact office on UHF channel 58 prior to entering site)



## Pedestrians

- Protected Walkway**
- Designated Walkway**  
Pedestrians MUST give way to vehicles and plant
- Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas

## Vehicles and Plant



### Vehicle Route

Follow the direction of the vehicle route. Drivers **MUST** not exit their vehicle unless they can access a designated walkway or to complete designated work.



### Reverse Entry



### Site Speed Limit

The Site speed limit is restricted to 10kph.



### Warning Light

A warning light is installed on approach to the Stockpile area. The light will activate when Loader is in operation. When light is flashing, do not enter the Stockpile area.



### Tipper Waiting area

When the Unloading area is unavailable, park in the Tipper Waiting area



### Tipper Unloading Location

Place delivery dockets into the Delivery Docket box, which is located at the exit to Stockpile area.




### Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF Channel 58.






# Traffic & Pedestrian Management Powder Tanker Site Map

(Driver must contact office on UHF channel 58 prior to entering site)



## Pedestrians

-  **Protected Walkway**
-  **Designated Walkway**  
Pedestrians MUST give way to vehicles and plant
-  **Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas

**Warning:** A flashing light will activate when the Loader is in operation. When light is flashing, all vehicles in the immediate area **MUST** stop. Only proceed when safe to do so.

## Vehicles and Plant



### Vehicle Route

Follow the direction of the vehicle route. Drivers **MUST** not exit their vehicle unless they can access a designated walkway or to complete designated work.



### Site Speed Limit

The Site speed limit is restricted to 10kph.

### Waiting Area

### Silo Key Pick up Location

Park in Waiting area and collect Silo isolation key from the Docket Transfer Tube, which is located beside the Load Bay.

### Tanker Parking 1

### Tanker Parking 2

### Tanker Park and Discharge Locations – Forward entry

Parking area 1 is the primary unloading area. When parking area 1 is unavailable, park and discharge from parking area 2

### Silo Fill Points

Return the Key and Delivery docket to the Batch Office, when driving off site.

To access the Batch Office and amenities, follow the pathway directional arrows as indicated on the map.

### Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF Channel 58.






# Traffic & Pedestrian Management Admix Bulk Tanker Site Map

(Driver must contact office on UHF channel 58 prior to entering site)



## Pedestrians

-  **Protected Walkway**
-  **Designated Walkway**  
Pedestrians MUST give way to vehicles and plant
-  **Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas



**Warning:** A flashing light will activate when the Loader is in operation. When light is flashing, all vehicles in the immediate area **MUST** stop. Only proceed when safe to do so.

## Vehicles and Plant



### Vehicle Route

Follow the direction of the vehicle route. Drivers **MUST** not exit their vehicle unless they can access a designated walkway or to complete designated work.



### Site Speed Limit

The Site speed limit is restricted to 10kph.

### Tanker Parking

### Tanker Park and Discharge Locations - Forward entry



### Admixture Fill Points

- Located in the Admixture storage area
- Delivery dockets are to be handed in to the Batch Office



To access the Batch Office and amenities, follow the pathway directional arrows as indicated on the map.



### Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF Channel 58.



# Traffic & Pedestrian Management

## Agitator Site Map

(Driver must communicate on 2-way radio channel 5)



### Pedestrians

- Protected Walkway**
- Designated Walkway**  
Pedestrians MUST give way to vehicles and plant
- Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas



**Warning:** A flashing light will activate when the Loader is in operation. When light is flashing, all vehicles in the immediate area **MUST** stop. Only proceed when safe to do so.

### Vehicles and Plant




#### Vehicle Route

Follow the direction of the vehicle route. Drivers **MUST** not exit their vehicle unless they can access a designated walkway or to complete designated work.



#### Reverse Entry

- Washout Bays
- Truck Wash Bay
- Agitator Parking Bays



#### Load Bay – forward entry

Collect Delivery dockets from the Docket Transfer Tube, which is located beside the Load Bay.

#### Slump Stands – forward entry (Dual Alley)

To access the Batch Office and amenities, follow the pathway directional arrows as indicated on the map.



#### Site Speed Limit

The Site speed limit is restricted to 10kph.



#### Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF Channel 58.






# Traffic & Pedestrian Management Loading Washout Waste Site Map

(Driver must contact office on UHF channel 58 prior to entering site)



## Pedestrians

-  **Protected Walkway**
-  **Designated Walkway**  
Pedestrians **MUST** give way to vehicles and plant
-  **Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas

**Warning:** A flashing light will activate when the Loader is in operation. When light is flashing, all vehicles in the immediate area **MUST** stop. Only proceed when safe to do so.

## Vehicles and Plant



### Vehicle Route

Follow the direction of the vehicle route. Drivers **MUST** not exit their vehicle unless they can access a designated walkway or to complete designated work.



### Site Speed Limit

The Site speed limit is restricted to 10kph.

Loading area

### Washout Waste Loading Location

Located beside Washout Bays



### Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF Channel 58.






# Traffic & Pedestrian Management

## Contractor Site Map

### Boral Concrete – 80 Greendale Rd, Bringelly



#### Pedestrians

-  **Protected Walkway**
-  **Designated Walkway**  
Pedestrians MUST give way to vehicles and plant
-  **Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas



**Warning:** A flashing light will activate when the Loader is in operation. When light is flashing, all vehicles in the immediate area **MUST** stop. Only proceed when safe to do so.

#### Vehicles and Plant



##### Vehicle Route

Follow the direction of the vehicle route. Drivers **MUST** not exit their vehicle unless they can access a designated walkway or to complete designated work.



##### Reverse Entry



##### Site Speed Limit

The Site speed limit is restricted to 10kph.



##### Contractor Parking

- Contractors park in the Courier & Contractor parking bays, located adjacent to Batch Office
- Parking is reverse entry.
- Upon arrival, Contractors report to the Batch Office for induction and further instructions.



To access the Batch Office and amenities, follow the pathway directional arrows, as indicated on the map.



##### Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF Channel 58.






# Traffic & Pedestrian Management

## Fuel Delivery Site Map

### Boral Concrete – 80 Greendale Rd, Bringelly



#### Pedestrians

-  **Protected Walkway**
-  **Designated Walkway**  
Pedestrians **MUST** give way to vehicles and plant
-  **Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas



**Warning:** A flashing light will activate when the Loader is in operation. When light is flashing, all vehicles in the immediate area **MUST** stop. Only proceed when safe to do so.

#### Vehicles and Plant



##### Vehicle Route

Follow the direction of the vehicle route. Drivers **MUST** not exit their vehicle unless they can access a designated walkway or to complete designated work.



##### Reverse Entry



##### Site Speed Limit

The Site speed limit is restricted to 10kph.



##### Refuelling Point

- Park in the Courier & Contractor parking area, located adjacent to Batch Office
- Parking is reverse entry.



To access the Batch Office and amenities, follow the pathway directional arrows as indicated on the map.



##### Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF Channel 58.



# Traffic & Pedestrian Management Plan

## Waste Bin Collection Site Map

### Boral Concrete – 80 Greendale Rd, Bringelly



#### Pedestrians

- Protected Walkway**
- Designated Walkway**  
Pedestrians MUST give way to vehicles and plant
- Pedestrian Exclusion Zone**  
Only authorised pedestrians are permitted to conduct work in operational areas

**Warning:** A flashing light will activate when the Loader is in operation. When light is flashing, all vehicles in the immediate area **MUST** stop. Only proceed when safe to do so.

#### Vehicles and Plant



##### Vehicle Route

Follow the direction of the vehicle route. Drivers **MUST** not exit their vehicle unless they can access a designated walkway or to complete designated work.



##### Site Speed Limit

The Site speed limit is restricted to 10kph.

**Waste Bin**

##### Waste Bin Collection Point

Waste Bin is located beside the Courier & Contractor parking area



To access the Batch Office and amenities, follow the pathway directional arrows as indicated on the map.



##### Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF Channel 58.