Traffic & Pedestrian Management Plan Induction



Penrith Concrete Plant

Emergency Site Map







Pedestrians



Protected Walkway



Designated Walkway Pedestrians MUST give way to vehicles and plant



Pedestrian Exclusion Zone Only authorised pedestrians are permitted to conduct work in operational areas



Fire Blanket Located in Driver's Room



Emergency Eye Wash Located at rear of Agitator Parking Bays Bay




Spill Kit Located in Workshop



First Aid 2 Located in Office (1 x fixed, 1 x portable)



Emergency Equipment





Emergency Shower Located behind Truck Wash Bay



Point A is the primary Assembly area and is located inside the Pedestrian Site Entrance gate Point B is located 50 metres, to intersection of Peachtree Road Proceed to the Assembly points using the designated walkways.

Emergency Assembly Areas



Fire Extinguishers

Located in each of the following areas: Office, Driver's Room, 3 located in Workshop, rear external wall of workshop



Traffic & Pedestrian Management Plan Visitor Site Map





Pedestrians



Protected Walkway



Designated Walkway Pedestrians MUST give way to vehicles and plant




Pedestrian Exclusion Zone


Only authorised pedestrians are permitted to conduct work in operational areas

Vehicles and Plant



Visitor Parking No Visitor parking on site (street parking only).





All visitors must report to the office immediately upon arrival on site (office is located upstairs). Follow the pathway directional arrows to and from the office, as indicated on the map.




Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.



Traffic & Pedestrian Management Plan Courier Delivery Site Map (Light Vehicle)







Vehicles and Plant Vehicle Route Enter via Gate 1 Exit via Gate 2 Follow the direction of the vehicle route. Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work. Reverse Entry



Site Speed Limit The site speed lim

The site speed limit is restricted to 10kph



- Reverse entry
- Couriers must report to the office immediately upon arrival (office is located upstairs). Follow the
 pathway directional arrow to and from the office, as indicated on the map.



Front End Loader (FEL) and Forklift


- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.



Heavy Vehicle Delivery Site Map



(Requiring Forklift removal)







Protected Walkway

in operational areas





Pedestrian Exclusion Zone Only authorised pedestrians are permitted to conduct work

Vehicles and Plant



Vehicle Route Enter via Gate 1

Follow the direction of the vehicle route. Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work.



Site Speed Limit

The site speed limit is restricted to 10kph



Heavy Vehicle Delivery Point

Position # 1 – Right hand side unloading (Forward entry)

Position # 2 - Left hand side unloading (Forward entry)



Front End Loader (FEL) and Forklift


- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.



Tipper Site Map







edestrians



Protected Walkway

Designated Walkway Pedestrians MUST give way to vehicles and plant



Pedestrian Exclusion Zone

Only authorised pedestrians are permitted to conduct work in operational areas

Vehicles and Plant

Important: Deliveries are between the hours of 6am & 3pm only. On approach, Driver must contact the office on UHF channel 18 for clearance.



Vehicle Route for Truck only

Enter via Gate 1, Exit via Gate 2

Follow the direction of the vehicle route, steps 1 -5.

Vehicle Route for Truck and Trailer

Enter via Gate 1, Exit via Gate 2

- To unload Trailer, follow the direction of the vehicle route, steps 1 & 2.
- Once Trailer has been unloaded, forward to the Trailer Parking area and unhook trailer. Once the Trailer has been unhooked, you must exit the site via gate 2 and re-enter via gate 1.Follow
- steps 4 & 5 to exit, then repeat steps 1 & 2 to unload the truck
- Once discharge is complete, forward to the Trailer Parking area and hook-up trailer.
- Follow steps 4 & 5 to exit via gate 2.

Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work.



Reverse Entry



Site Speed Limit

The site speed limit is restricted to 10kph



Tipper Discharge Location



Trailer Parking area



Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.



Tipper Site Map

Map 2 - Deliver 20mm Asphalt







Pedestrians



Protected Walkway




Designated WalkwayPedestrians **MUST** give way to vehicles and plant



Pedestrian Exclusion Zone Only authorised pedestrians are permitted to conduct work in operational areas

Vehicles and Plant



On approach, Driver must contact the office on UHF channel 18 for clearance.



Enter via Gate 2, Exit via Gate 1

Follow the direction of the vehicle route, steps 1 -4.

Vehicle Route for Truck and Trailer

Enter via Gate 2, Exit via Gate 1

- To unload Trailer, follow the direction of the vehicle route, steps 1 -3.
- Once Trailer has been unloaded, reverse to the Trailer Parking area and unhook trailer.
- Repeat step 3 to unload Truck.
- Once discharge is complete, reverse to the Trailer Parking area and hook-up trailer.
- Exit via gate 1

Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work.



Reverse Entry



The site speed limit is restricted to 10kph



Tipper 20mm Asphalt Discharge Location Reverse entry

Trailer Parking

Trailer Parking area

Front End Loader (FEL) and Forklift


- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.



Powder Tanker Site Map




(Driver must contact office on UHF channel 18 prior to entering site)



Pedestrians



Protected Walkway





Pedestrian Exclusion Zone Only authorised pedestrians are permitted to conduct work in operational areas

Vehicles and Plant



Vehicle Route

Important: On approach, Driver must contact the office on UHF channel 18 for clearance.

Enter via Gate 2 Exit via Gate 1

Follow the direction of the vehicle route, steps 1 - 5.

- At step 3, reverse entry to the discharge point. Park vehicle and approach the office for key collection (office is located upstairs). Follow the pathway directional arrows to and from the office, as indicated on the map.
- Once discharging is complete, follow steps 4 & 5 to exit the site via gate 1.

Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work.



Reverse Entry



Site Speed Limit

The site speed limit is restricted to10kph



Powder Tanker Discharge Location

Reverse entry



Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18



Admix Bulk Tanker Site Map



(Driver must contact office on UHF channel 18 prior to entering site)



Pedestrians



Protected Walkway





Pedestrian Exclusion Zone Only authorised pedestrians are permitted to conduct work in operational areas

Vehicles and Plant



Vehicle Route

Important: On approach, Driver must contact the office on UHF channel 18 for clearance.

Enter via Gate 2 Exit via Gate 1

Follow the direction of the vehicle route. Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work.



Site Speed Limit

The site speed limit is restricted to 10kph



Tanker Unload Parking area

Driver must park in the Unloading area while discharging



Admix Bulk Tanker Discharge Location



Front End Loader (FEL) and Forklift


- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.



Agitator Site Map







Pedestrians





Designated Walkway Pedestrians MUST give way to vehicles and plant



Pedestrian Exclusion Zone Only authorised pedestrians are permitted to conduct work in operational areas

Vehicles and Plant



Vehicle Route Important: On approach, Driver must contact the office on UHF channel 18 for clearance.

Follow the direction of the vehicle route, steps 1 - 5. Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work.



Reverse Entry

Reverse entry into the following areas:

- Returned Concrete Unloading Point
- Block Making
- Washout Bays
- Wedge Pit (rinse out chute)
- Agitator Loading Point



Site Speed Limit

The site speed limit is restricted to 10kph



Agitator Loading Point Returned Concrete Unloading Point AdBlue Refill Point



Agitator Parking Bays

Reverse entry



Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.



Loading Washout Waste Site Map




(Driver must contact office on UHF channel 18 prior to entering site)



Pedestrians



Protected Walkway






Pedestrian Exclusion Zone

Only authorised pedestrians are permitted to conduct work in operational areas

Vehicles and Plant



Enter via Gate 2 Exit via Gate 1

Follow the direction of the vehicle route, steps 1 - 5.

- At step 4, reverse into the loading area.
- Once loading is complete, follow step 5 to exit the site via gate 1.

Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work.



Reverse Entry



Site Speed Limit

The site speed limit is restricted to 10kph



Washout Waste Loading Location

Reverse entry



Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.



Traffic & Pedestrian Management Plan Contractor Site Map





Pedestrians



Protected Walkway

Designated Walkway Pedestrians **MUST** give way to vehicles and plant



Pedestrian Exclusion ZoneOnly authorised pedestrians

Only authorised pedestrians are permitted to conduct work in operational areas

Vehicles and Plant



Vehicle Route

Enter via Gate 1 Exit via Gate 2

Follow the direction of the vehicle route. Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work.



Reverse Entry



Site Speed Limit

The site speed limit is restricted to 10kph



Contractor Parking & Setup Location

- Parking is reverse entry.
- Upon arrival, Contractors report to the office for induction and further instructions (office is located upstairs). Follow the pathway directional arrows to and from the office, as indicated on the map.




Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.



Traffic & Pedestrian Management Plan Fuel Delivery Site Map









Protected Walkway



Designated Walkway

Pedestrians MUST give way to vehicles and plant



Pedestrian Exclusion Zone

Only authorised pedestrians are permitted to conduct work in operational areas

Vehicles and Plant



Vehicle Route

Entry via Gate 1

Follow the direction of the vehicle route. Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work.



Site Speed Limit

The site speed limit is restricted to 10kph



Refuelling Location

- Park directly in front of the workshop (forward entry into position)
- Whilst refuelling, stand between the Fuel Cart and the Loader to keep away from the flow of traffic.



Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.




Traffic & Pedestrian Management Plan Waste Bin Collection Site Map









Vehicles and Plant Vehicle Route

Enter & Exit via Gate 1

Follow the direction of the vehicle route. Drivers MUST not exit their vehicle unless they can access a designated walkway or to complete designated work.



Site Speed Limit

The site speed limit is restricted to 10kph



Waste Bin Collection Point



Front End Loader (FEL) and Forklift

- Operate in all areas.
- Have right of way in vehicle operating areas. Always establish positive communication (verbal and/or visual contact) with operator before approaching within 20 metres. Communicate with the Loader operator via UHF channel 18.

